

FAQ to use cooki3d web plugin

Contributed by Administrator
Last Updated Wednesday, 29 November 2006

The real install is done (if not exist) when you visit :

- - a cooki plugin application.
- - the cooki framework.

To use Cooki3d in your web navigator, you must have a Sun Jvm $\geq 1.4.2$

If you don't succeed in installing the java jvm in your navigator, we propose you this scripts and links to help you.

...

Install help under 'Linux' (support Firefox):

First solution,

download and install java jre if you don't have a version $\geq 1.4.2$

<http://www.java.com/download/manual.jsp>

Second solution, you are not sure of your java installation..., your jvm doesn't work..., you don't understand why...

download this install script installCooki3d.sh and type in a console

```
user@host~$ sh installCooki3d.sh
```

Important notes on native library loading: If the jre is not installed in your home directory use the installCooki3d.sh script to install another jre in your home directory, else you must add write permission on the \$JAVA_HOME/jre/lib/i386/client/ directory. If you don't want install a jre in your home directory and you don't want add a this write permission, you can also use the LD_LIBRARY_PATH before starting firefox like this :

```
user@host~$export LD_LIBRARY_PATH=$HOME/.cooki3d/api/libCommon:$HOME/.cooki3d/api/libCooki3d
```

Install help under 'Windows XP/2000/98' (support Firefox and IExplorer):

download and install java jre if you don't have a version >= 1.4.2

<http://www.java.com/download/manual.jsp>

